

Yahoo! My Yahoo! Mail Welcome, **Guest** [Sign In]

[Search Home](#) [Help](#)

YAHOO! SEARCH

[Web](#) [Images](#) [Video](#) [Directory](#) [Local](#) [News](#) [Shopping](#)

[My Web](#) BETA

[Subscriptions](#) (New)





[Shortcuts](#)

[Advanced Search](#)

[Preferences](#)

Search Results

Results 11 - 16 of about 19 for **method of storing image data**

11. [World Intellectual Property Organization](#) 
 Background Art **A** computer system typically relies upon its graphics system for producing visu
 dimensional graphics **data ... of a method for dividing a ... image** (i. e., establishing a clipping
 wipo.int/ipdl/IPDL-CIMAGES/view/pct/getbykey5?KEY=01/88854.011122&... - 205k - [Cached](#) -
12. [Scalable pixel distribution image coding system for compression and decompression of image](#)
 ... **method** for converting an image frame into an encoded data stream, including the steps o
 color BTC **method** ...
 patent.tange.dk/ziki/EP/7/5/EP759254.html - 190k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)
13. [EP890910 Sony european software patent - Picture processing apparatus, picture processing](#)
 ... a picture processing **method and a ... displaying** process for **displaying** index screens ... s
 gauss.ffii.org/PatentView/EP890910 - 205k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)
14. [esp@cenet description view](#) 
 ... **method and** apparatus in which, prior to recognition, **blocks of image data** are classified a
 contains **stored** ...
 v3.espacenet.com/textdes?&DB=EPODOC&IDX=EP1061469 - 142k - [Cached](#) - [More from this](#)
15. [A digital recording and reproducing apparatus](#) 
 ... animated **images**. (4) There is a report of a **method** ... effected **based on the** MPEG schen
 becomes ...
 gauss.bacon.su.se/EP/6/9/EP692916.html - [More from this site](#) - [Save](#) - [Block](#)
16. [esp@cenet description view](#) 
 Quick Help. In my patents list | Print. EP0117405. Description of corresponding document: US.
the GOB includes a page segment (predetermined text or **images** which are addressable as a
 v3.espacenet.com/textdes?&DB=EPODOC&IDX=EP117405 - 139k - [Cached](#) - [More from this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the one
 If you like, you can [repeat the search with the omitted results included](#).

Results Page:

[Prev](#) [1](#) [2](#)

[Web](#) [Images](#) [Video](#) [Directory](#) [Local](#) [News](#) [Shopping](#)

Your Search:

Search from **any** page on the Web with Yahoo! Toolbar. It's free



Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#) - [Job Openings](#)



Home | Login | Logout | Access Information
Alerts | Sitemap |

Welcome United States Patent and Trademark
Office

Search Results

BROWSE

SEARCH

IEEE XPLORE
GUIDE

SUPP

Results for "(((adjusting <sentence> size) <and> block <and> compression)
<in>metadata)"

e-mail print

Your search matched **4** of **1225093** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in
Descending order.

» Search Options

View Session History

New Search

Modify Search

(((adjusting <sentence> size) <and> block <and> compression)<in>metadata)

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ **1. A block-based MAP segmentation for image compression**
Chee Sun Won;
Circuits and Systems for Video Technology, IEEE Transactio
Volume 8, Issue 5, Sept. 1998 Page(s):592 - 601
Digital Object Identifier 10.1109/76.718506
AbstractPlus | References | Full Text: PDF(284 KB) IEEE J
- ☐ **2. Adaptive adjustment of the search window for block-mat
algorithm with variable block size**
Hwang-Seok Oh; Heung-Kyu Lee;
Consumer Electronics, IEEE Transactions on
Volume 44, Issue 3, Aug. 1998 Page(s):659 - 666
Digital Object Identifier 10.1109/30.713177
AbstractPlus | References | Full Text: PDF(752 KB) IEEE J
- ☐ **3. Adaptive fuzzy post-filtering for highly compressed video**
Hao-Song Kong; Yao Nie; Vetro, A.; Huifang Sun; Barner, K.I
Image Processing, 2004. ICIP '04. 2004 International Confer
on
Volume 3, 24-27 Oct. 2004 Page(s):1803 - 1806 Vol. 3
Digital Object Identifier 10.1109/ICIP.2004.1421425
AbstractPlus | Full Text: PDF(681 KB) IEEE CNF
- ☐ **4. Efficient motion estimation using multiple log searching
adaptive search windows**
Marlow, S.; Ng, J.; McArdle, C.;
Image Processing and Its Applications, 1997., Sixth Internatic
Conference on
Volume 1, 14-17 July 1997 Page(s):214 - 218 vol.1
AbstractPlus | Full Text: PDF(384 KB) IEE CNF



[Help](#) [Contact Us](#) [Privacy](#)
[Security](#) [IEEE](#)

© Copyright 2005 IEEE
[Rights Re](#)

[Yahoo!](#) [My Yahoo!](#) [Mail](#) [Welcome, Guest](#) [\[Sign In\]](#)

[Search Home](#) [Help](#)

YAHOO! SEARCH

[Web](#) [Images](#) [Video](#) [Directory](#) [Local](#) [News](#) [Shopping](#)
method of storing image data and displaying images based on

[My Web](#) BETA

[Subscriptions](#) (New)







[Shortcuts](#)



[Advanced Search](#)

[Preferences](#)

Search Results

Results 1 - 10 of about 19 for **method of storing image data**

1. [Patent 4847677: Video telecommunication system and method for compressing and decompr...](#)
... pixel **based** upon ... **of an image** ... **storing in said first and second buffer memories** for su
sequentially **displaying** ...
www.freepatentsonline.com/4847677.html - [More from this site](#) - [Save](#) - [Block](#)
2. [Method and apparatus for selecting text and/or non-text blocks in a stored document](#) 
... **a method and apparatus in which, prior to recognition, blocks of image data** are classified
of text data ...
patent.tange.dk/ziki/EP/1/0/EP1061469.html - 222k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)
3. [Patent 5428610: FM radio system employing time shared wide SCA for digital data band](#) 
... means for **dividing** digital message **data from the system digital data** ... means for **storing**
stored in each ...
www.freepatentsonline.com/5428610.html - [More from this site](#) - [Save](#) - [Block](#)
4. [Communicative game system - US Patent 6183367](#) 
... **data, and image display means for displaying an image on** ... computer device, a display
reception **data**, whilst the ...
www.patentstorm.us/patents/6183367.html - [More from this site](#) - [Save](#) - [Block](#)
5. [Communicative game system - US Patent 6306039](#) 
... **and the image generated by the game device; and, display means for displaying the proc**
reception **data**, while the ...
www.patentstorm.us/patents/6306039.html - 112k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)
6. [World Intellectual Property Organization](#) 
This application is also a continuation-in-part of US patent applications 09/716,279 and 09/902
image representation are based on linear transformations of ... better fitting **of image data by**
in ...
wipo.int/ipdl/IPDL-CIMAGES/view/pct/getbykey5?KEY=03/07486.030123&... - [More from this s](#)
7. [Bandwidth Market, Ltd](#) 
... **displaying images** using **said** ... encoding **method that is based on the** ... **image and voic**
data ...
www.bandwidthnews.com/resources/patents/data25/5164980.html - [More from this site](#) - [Save](#)
8. [Software Patents \(and other Patents\) Involving Crystallography \(Mainly trying to find relevant S](#)
... **a unique set of variables based on co** ... **A method of structuring or storing data within a** ..
www.ccp14.ac.uk/maths/software-patents/crystallography_patents.html - 292k - [Cached](#) - [More](#)

9. [Methods and systems for digital rights management of protected content patent](#) 
... limitation, audio, **image**, video, tactile, multimedia, text ... **stored at the first client device**. In
coding **method** ...
freshpatents.com/Methods-and-systems-for-digital-rights-management-... - 171k - [Cached](#) - [M](#)
10. [World Intellectual Property Organization](#) 
Background Art **A** computer system typically relies upon its graphics system for producing visu
dimensional graphics **data** ... **of a method for dividing a ... image** (i. e., establishing a clipping
wipo.int/ipdl/IPDL-CIMAGES/view/pct/getbykey5?KEY=01/88854.011122&... - 205k - [Cached](#) -

Results Page:

1 2  **Next**

[Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Shopping](#)

Your Search:



Search from **any** page on the Web with [Yahoo! Toolbar](#). It's free

Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#) - [Job Openings](#)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|-------------------|------------------|---------|------------------|
| L1 | 4 | ("6452602" or "6366289").pn. | USPAT; DERWENT | OR | ON | 2005/08/17 13:41 |
| L2 | 0 | 1 and (adjust\$6 with size) | USPAT; DERWENT | OR | ON | 2005/08/17 13:42 |
| L3 | 3 | 1 and (size) | USPAT; DERWENT | OR | ON | 2005/08/17 13:44 |
| L4 | 0 | 1 and (size with display\$4) | USPAT; DERWENT | OR | ON | 2005/08/17 13:44 |
| L5 | 10947 | stor\$4 with image with compress\$4 | USPAT; DERWENT | OR | ON | 2005/08/17 13:44 |
| L6 | 63 | 5 and (adjust\$4 with size with display\$4) | USPAT; DERWENT | OR | ON | 2005/08/17 13:53 |
| L7 | 9 | 6 and (select\$4 with block) | USPAT; DERWENT | OR | ON | 2005/08/17 13:59 |
| L8 | 11 | (adjust\$4 with size with display\$4) with (select\$4 with block) | USPAT; DERWENT | OR | ON | 2005/08/17 14:00 |
| L10 | 11 | 8 and stor\$4 | USPAT; DERWENT | OR | ON | 2005/08/17 13:54 |
| L11 | 2 | 10 and compress\$4 | USPAT; DERWENT | OR | ON | 2005/08/17 13:55 |
| L12 | 7 | (adjust\$4 with size with display\$4) with (select\$4 with block) | US-PGPUB | OR | ON | 2005/08/17 14:00 |
| L14 | 2 | 12 and compress\$4 | US-PGPUB | OR | ON | 2005/08/17 14:14 |
| L15 | 2 | Adjust\$4 with size with display\$4 with block with select\$4 | EPO; JPO | OR | ON | 2005/08/17 14:14 |

| | U | 1 | Document ID | Issue Date | Pages |
|---|---|---|---------------|------------|-------|
| 1 | | | US RE38759 E | 20050719 | 89 |
| 2 | | | US 6574765 B2 | 20030603 | 79 |
| 3 | X | | US 6545687 B2 | 20030408 | 50 |
| 4 | | | US 6380975 B1 | 20020430 | 89 |
| 5 | | | US 6298460 B1 | 20011002 | 79 |
| 6 | | | US 6134695 A | 20001017 | 82 |
| 7 | | | US 6111605 A | 20000829 | 89 |

| | Title | Current OR | Current XRef |
|---|---|------------|--------------------------------------|
| 1 | DIGITAL STILL VIDEO CAMERA, IMAGE DATA OUTPUT SYSTEM FOR DIGITAL STILL VIDEO CAMERA, FRAME FOR DATA RELAY FOR DIGITAL STILL VIDEO CAMERA, DATA TRANSFER SYSTEM FOR DIGITAL STILL VIDEO CAMERA, AND IMAGE REGENERATING APPARATUS | 348/220.1 | 348/207.2; 348/231.99; 348/552 |
| 2 | Code image data output apparatus and method | 714/752 | |
| 3 | Thumbnail manipulation using fast and aspect ratio zooming, compressing and scaling | 345/629 | |
| 4 | Digital still video camera having voice data generation | 348/231.99 | 348/239 |
| 5 | Code image data output apparatus and method | 714/752 | |
| 6 | Code image data output apparatus and method | 714/752 | |
| 7 | Digital still video camera, image data output system for digital still video camera, frame for data relay for digital still video camera, data transfer system for digital still video camera, and image regenerating apparatus | 348/220.1 | 348/231.99; 348/552 |

| | Retrieval Classif | Inventor | S | C | P | 2 | 3 | 4 | 5 |
|---|----------------------|---------------------------|---|---|---|---|---|---|---|
| 1 | | Suzuki; Hiroaki | X | | | | | | |
| 2 | | Sasaki; Hiroshi et al. | X | | | | | | |
| 3 | | Scott; Paul Q. et al. | X | | | | | | |
| 4 | | Suzuki; Hiroaki | X | | | | | | |
| 5 | | Sasaki; Hiroshi et al. | X | | | | | | |
| 6 | | Sasaki; Hiroshi et al. | X | | | | | | |
| 7 | | Suzuki; Hiroaki | X | | | | | | |

| | Image Doc. Displayed | PT |
|---|-------------------------|----|
| 1 | US RE38759 | |
| 2 | US 6574765 | |
| 3 | US 6545687 | |
| 4 | US 6380975 | |
| 5 | US 6298460 | |
| 6 | US 6134695 | |
| 7 | US 6111605 | |

| | U | 1 | Document ID | Issue Date | Pages |
|---|---|---|--------------|------------|-------|
| 8 | | | US 6005690 A | 19991221 | 86 |
| 9 | X | | US 5880814 A | 19990309 | 24 |

| | Title | Current OR | Current XRef |
|---|--|------------|---|
| 8 | Still picture system | 358/527 | 358/403; 382/166; 382/167; 382/240; 382/274; 382/299; 382/306 |
| 9 | Visual acuity tester with improved test character generation | 351/239 | 351/237 |

| | Retrieval Classif | Inventor | S | C | P | 2 | 3 | 4 | 5 |
|---|----------------------|-----------------------------------|---|---|---|---|---|---|---|
| 8 | | Suzuki; Kiyosuke et al. | X | | | | | | |
| 9 | | McKnight; Robert Nelson et al. | X | | | | | | |

| | Image Doc. Displayed | PT |
|---|-------------------------|----|
| 8 | US 6005690 | |
| 9 | US 5880814 | |